390 PC[™] CORDLESS



Airless Paint Sprayer






390 PC Cordless

Airless Paint Sprayer

INTRODUCING THE INDUSTRY'S FIRST CORDLESS HIGH PERFORMANCE PAINT SPRAYER

BENEFITS YOU'LL APPRECIATE ON EVERY JOB

- Portability and convenience of cordless
- Set up where you want instead of where the power is available
- Stop wasting time dealing with long extension cords and finding power
- Light weight, hassle free cordless design makes it easy to move and transport
- Eliminate competing for power with other trades
- Experience quiet jobsites with battery power instead of using noisy generators
- Consistent, all-day spraying power without power fluctuations
- Perfect Airless Finish with RAC X[™] Low-Pressure SwitchTips™



THE POWER TO SPRAY EVERY JOB WITH THE **FREEDOM TO SPRAY ANYWHERE**





Learn more at graco.com/390Cordless



390 PC CORDLESS SPRAY TECHNOLOGY

HIGHEST PERFORMANCE CORDLESS SPRAYER EVER BUILT

• Spraying at up to 3,300 PSI • Delivering up to 0.47 GPM • Supporting up to 0.021" tip

PERFORMANCE YOU CAN COUNT ON WITH ALL DAY SPRAYING POWER

• Spray up to 6 gallons before needing to charge with 2 batteries included for all-day spraying • Recharge battery in under 60 minutes

UNMATCHED PORTABILITY DELIVERS THE FREEDOM TO SPRAY EVERYWHERE

• Freedom from power cords, electrical outlets or generators • Spray every job faster — anywhere











THE WORLD'S MOST POWERFUL CORDLESS PAINT SPRAYER

• Fan-cooled fast charger — recharges battery in under 60 minutes

Learn more at

graco.com/390Cordless



COMES COMPLETE WITH EVERYTHING NEEDED TO FINISH THE JOB

- Contractor FTx Spray Gun
- RAC X LP 517 SwitchTip
- 1/4" x 50 ft BlueMax[™] II Airless Hose
- (2) DEWALT FlexVolt 20v/60v Max 6ah Batteries
- (1) DEWalt Fan-Cooled Fast Charger

390 PC Cordless Airless Paint Sprayer

• Powerful brushless DC motor provides extended battery run time · Lightweight, compact design allows for increased portability

ADJUSTABLE PRESSURE CONTROL

• Delivers extended runtime when spraying at low pressure Position indicator allows repeatable setting between 0-3,300 psi while spraying light-to-heavy materials.



ADVANTAGE[™] DRIVE

 Hardened steel gears provide extremely quiet operation and a lifetime warranty



EASY OUT[™] FILTER

- Exclusive inside-out filtering process ensures a quality finish
- Large filtration area reduces tip clogs





THE POWER & FREEDOM TO SPRAY EVERY APPLICATION



INTERIORS







EXTERIORS

DOORS & TRIM

SOFFITS & FACIA







GRAFFITI ABATEMENT



YOU CHOOSE YOUR POWER SOURCE!











raco.com/390CordlessReview





WHAT CONTRACTORS ARE SAYING...

"The 390 PC Cordless has the same pressure & performance as the corded version, its lighter weight and is easier to move around the job, it's a great pump even when I do have power!" Mike Kaukola – Brushmasters Painting & Drywall, Maple Grove, MN

"I don't have to worry about outlets, extension cords, other contractors, etc. It allows me to show up and do my job—I have been waiting 25 years for a sprayer like this!" Justin Henjum – J's Finishing LLC, Hanover, MN





	SPECIFICATIONS					FEATURES									
	Part Number	Maximum Tip Size	Maximum psi (bar)	Maximum gpm (lpm)	Motor hp	Weight Ib (kg)	Gun Support	Endurance Pump	ProConnect	Advantage Drive	Easy Out Pump Filter (60 Mesh)	Adjustable Pressure Control	Gun	Tip	Hose
ULTRA 390 Corded	Stand (25F501) Hi-Cart (25F502)	0.021"	3300 (227)	0.47 (1.8)	5/8 Brushless DC	27 (12) Stand	1 Gun (0.021")	•	•	•	•	•	Contractor FTx	RAC X LP 517	1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless
390 PC Cordless	Stand (25T804) Hi-Cart (25T805)	0.021"	3300 (227)	0.47 (1.8)	5/8 Brushless DC	31 (14) Stand	1 Gun (0.021")	•	•	•	•	•	Contractor FTx	RAC X LP 517	1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless

ACCESSORIES



AIRLESS SPR	IRLESS SPRAY GUNS					
PART #	DESCRIPTION					
18H300	Contractor PowerShot Standard with RAC X LP 517 SwitchTip					
17Y043	Contractor PC with RAC X LP 517 SwitchTip					
19Y350	Contractor PC Compact with RAC X LP 517 SwitchTip					
288438	Contractor FTx with RAC X LP 517 SwitchTip					

AIRLESS SPRAY TIPS

- 1	PART #	DESCRIPTION				
	LPxxx	RAC X LP SwitchTips				
	FFLPxxx	RAC X FF LP SwitchTips				
	LTXxxx	RAC X LTX SwitchTips				

HOPPER KITS

PART #	DESCRIPTION				
17H171	1.5 Gallon (5.7 liter) Hopper Assembly, Lid Included (390 PC - Ultra® Max II [™] 595 PC Pro)				
19B968	Airless Finishing Kit				

INDUSTRY-LEADING WARRANTY PROTECTION

Every Graco electric sprayer is backed by the industry's best warranty coverage.

LIFETIME ELECTRIC MOTOR WARRANTY*

If the motor fails from normal use, we'll replace it under warranty for the original owner for the life of the sprayer.

LIFETIME DRIVETRAIN WARRANTY*

If the drivetrain fails from normal use, we'll replace it under warranty for the original owner for the life of the sprayer.

30-DAY "JUST ADD PAINT" REPLACEMENT GUARANTEE*



Dissatisfied? Simply return the sprayer to the place you bought it within 30 days. They'll either exchange it for an identical sprayer or you can trade up to a larger sprayer at an additional cost.

3-YEAR WARRANTY*

Coverage against defects in materials and workmanship on the entire sprayer.

DOWNTIME ELIMINATOR PROGRAM*

Part needed for a warranty repair not in stock at your distributor? Get FREE next business day air freight delivery when distributor orders the part by 2 p.m. CT.

CONVENIENT SERVICE

Graco offers more than 5,500 authorized distributor locations in North America and over 700 locations to administer warranty repair.

3-YEAR DEWALT DEFECT WARRANTY*

Coverage against defects in materials and workmanship on batteries and charger

*NORTH AMERICA ONLY. See your local Graco Distributors for country specifics

For more information visit graco.com/contractor

©2025 Graco Inc. 3J0206 Rev. E 2/25 All written and visual data contained in this document are based on the latest product information available at the time of publication. Graco reserves the right to make changes at any time without notice. Trademarks are referenced herein for identification purposes only. All trademarks are the property of their respective owners. Trademarks are referenced herein for identification purposes only. DEWALT and the DEWALT Logo are trademarks of DeWALT Industrial Tool Co. and are used under license. Product covered by issued and pending patents, see graco.com/patents. With respective 20/60v max, maximum initial battery voltage (Measured without a workload), is 20/460v respective). Nominal voltage is 18v and 54V respective).