



QUANTM™

A Massive Leap Forward for Your Facility



PROVEN QUALITY. LEADING TECHNOLOGY.




QUANTM™

ELECTRIC PUMP

SAVE ENERGY, CUT COSTS AND RUN CLEANER

The industry of tomorrow isn't expensive, hard-to-learn, and a burden on your team. It's smart, simple cost-effective, clean and environmentally responsible. We designed QUANTM to be quieter, lighter, more reliable, safer and easier for anyone in your team to maintain. QUANTM isn't one small step toward a better facility — it's a leap into the future.

EFFICIENT ELECTRIC DRIVE

- Up to 80% less energy consumption
- Requires no compressed air
- No freezing
- IE5 energy efficient certified
- Powered by  Motor Technology

INTEGRATED CONTROLS

- Control flow and pressure at the pump
- I/O for remote operation



PROVEN AODD BENEFITS

- Stalls under pressure
- Self-priming
- Runs dry
- Handles solids and abrasive materials

PLUG AND PLAY

- Factory wired for quick install
- 120V, 240V and 480V options
- Hazardous Location models available



QUIET OPERATION

compared to AODD pumps

- 23% dba sound pressure reduction
- 90% decrease in sound intensity



SCAN FOR MORE INFORMATION
[GRACO.COM/QUANTM](https://graco.com/quantm)

THE POWER YOU EXPECT

THE SIMPLICITY WILL SURPRISE YOU

QUANTM isn't just another electric pump: it's a game-changer. QUANTM features a revolutionary electric motor design that will reduce operational costs and keep your production lines running. It is a perfect fit for nearly any fluid application and a drop-in replacement for existing pump technologies. Protect your bottom line by converting to a QUANTM electric pump.



**SUSTAINABLE
OPERATIONS**



**SIMPLIFIED
MAINTENANCE**



**WORKER
SAFETY**



**COST
SAVINGS**



Model	QUANTM i30 (1")	QUANTM i80 (1.5")	QUANTM i120 (2")	QUANTM i120LP (2")
Material of Construction	Aluminum, Polypropylene, Conductive Polypropylene, Stainless Steel, PVDF		Aluminum, Polypropylene, Conductive Polypropylene, Stainless Steel, PVDF, Cast Iron	Aluminum
Pressure	100 psi (7 bar, 0.7 MPa)		60 psi (4 bar, 0.4 MPa)	
Flow	30 gpm (114 lpm)	80 gpm (300 lpm)	120 gpm (454 lpm)	
Voltage	120V – single phase 480V – 3 phase		240V – 3 phase 480V – 3 phase	



OUR BRAND PROMISE TO YOU

Since 1926, **innovation**, **quality** and **A+ Service** have been at the centre of Graco.

Experience Innovation

Our focus on innovation results in products and equipment that lead the industry with technologically-advanced features, pioneering design, high performance and unparalleled reliability. In short, innovation is how you get better products!

Building Quality

You're investing in high-quality products built to last for years of reliable service. Moreover, we partner with our customers to better understand how you're deploying our products in the field, then use your experiences to improve performance and durability.



A+ service, every time

You'll see A+ Service in action when you contact any of our support services options no matter where you are in the world. We'll listen to your situation and work methodically to resolve it as quickly as we can. We are guided by a mindset of integrity and a customer service view centred on collaboration and relationships, not transactions.



We're here to answer questions and help address your needs:

www.graco.com/contact

Graco is certified ISO 9001.

©2025 Graco Distribution BV 300885EN-G Letter 05/25.

All written and visual data contained in this document are based on the latest product information available at the time of publication. Graco reserves the right to make changes at any time without notice.

All other brand names or marks are used for identification purposes and are trademarks of their respective owners. For more information on Graco's intellectual property, see www.graco.com/patent or www.graco.com/trademarks.